

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A security device comprising a surface relief microstructure which, in response to incident radiation, replays a hologram viewable within a viewing zone, the hologram comprising at least a first, holographic image element in an image plane spaced from the surface of the microstructure, the device exhibiting at least one further image in a plane spaced from said image plane of the first holographic element, wherein the spacing between the first holographic element image plane and the plane of the further image is such that, on tilting the device, the first holographic image element exhibits apparent movement relative to the further image, the rate of movement being at least 6mm per radian of tilt, and the product of the rate of movement and the included angle of the viewing zone defining a distance at least 18% of the dimension of the device in the parallax direction.

2. (Previously Presented) A device according to claim 1, wherein the at least one further image is substantially spatially invariant relative to the device.

3. (Previously Presented) A device according to claim 2, wherein movement of the first holographic image element causes the first holographic image element to overlap the, or one of the, further images.

4. (Currently Amended) A device according to claim 2 ~~or claim 3~~, wherein the at least one further image is non-holographic.

5. (Currently Amended) A device according to claim 1 ~~or claim 2~~, wherein the hologram defines the at least one further image as one or more second holographic image elements.

6. (Currently Amended) A device according to ~~any of the preceding claims~~ claim 1, wherein the plane of the further image(s) is substantially coincident with the plane of the surface relief microstructure.

7. (Previously Presented) A device according to at least claim 5, wherein the first and second holographic image elements are formed in planes respectively in front of and behind the plane of the surface relief microstructure.

8. (Currently Amended) A device according to ~~any of the preceding claims~~ claim 1, wherein the surface relief microstructure replays the first and/or second holographic element into a set of discrete, angularly spaced subsidiary viewing zones.

9. (Previously Presented) A device according to claim 8, wherein the or each element is not visible in spaces between the subsidiary viewing zones.

10. (Currently Amended) A device according to claim 8 ~~or claim 9~~, wherein the subsidiary viewing zones are substantially equally spaced apart.

11. (Currently Amended) A device according to claim 9 ~~or claim 10~~, wherein the viewing zones and the spaces between the viewing zones have substantially the same angular extent.

12. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the first and/or second holographic image elements have a dimension of at least 3mm in the parallax direction.

13. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the or at least one of the holographic image elements exhibits a colour variation as it moves.

14. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the first holographic image element defines a symbol.

15. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the at least one further image defines a symbol.

16. (Currently Amended) A device according to claim 14 ~~or 15~~, wherein the or each symbol comprises a shape having a visual meaning, association or resonance with an observer.

17. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the first holographic image and the at least one further image are relatively movable to form a recognisable symbol.

18. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the product of the rate of movement and the included angle of the viewing zone defines a distance at least 18.6% of the dimension of the device in the parallax direction.

19. (Currently Amended) A device according to ~~any of the preceding claims~~claim 1, wherein the included angle of the viewing zone is no greater than 1 radian and the size of the device in the parallax direction is less than 5 times the interplane distance.

20. (Currently Amended) An article carrying a security device according to ~~any of the preceding claims~~claim 1.

21. (Previously Presented) An article according to claim 20, wherein the article comprises paper.

22. (Currently Amended) An article according to claim 20 ~~or claim 21~~, wherein the article comprises a banknote.

23. (Currently Amended) An article according to claim 20 ~~or claim 21~~, wherein the article comprises one of a cheque, voucher, certificate of authenticity, stamp, brand protection article, or fiscal stamp.